

Fig. 1a




Fig. 1b




Fig. 2




Fig. 3a




Fig. 3b

Return-Path: <MAILER-DAEMON>
Received: from localhost (localhost)
by mail.sender.com (8.9.3/8.9.3) with internal id DAA08119;
Sat, 28 Aug 1999 03:22:53 -0400 (EDT)
Date: Sat, 28 Aug 1999 03:22:53 -0400 (EDT)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Message-Id: <199908280722.DAA08119@mail.sender.com>
To: <original@sender.com>
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
boundary="DAA08119.935824973/mail.sender.com"
Subject: Returned mail: User unknown
Auto-Submitted: auto-generated (failure)
X-UIDL: 0a7b64d78dbd21cd6bb513b718fc263a

This is a MIME-encapsulated message

--DAA08119.935824973/mail.sender.com

The original message was received at Sat, 28 Aug 1999 03:19:11 -0400 (EDT)
from p16-clv2-ts2.sender.com [129.180.218.73]

----- The following addresses had permanent fatal errors -----
<john@doe.com>

----- Transcript of session follows -----
550 <john@doe.com>... Host unknown (Name server: doe.com: host not found)


--DAA08119.935824973/mail.sender.com

Content-Type: message/delivery-status

Reporting-MTA: dns; mail.sender.com
Received-From-MTA: DNS; d49.as2.mail.sender.com
Arrival-Date: Sat, 28 Aug 1999 03:19:11 -0400 (EDT)

Final-Recipient: RFC822; john@doe.com
Action: failed
Status: 5.1.2
Remote-MTA: DNS; doe.com
Last-Attempt-Date: Sat, 28 Aug 1999 03:19:12 -0400 (EDT)

Prior Art
Fig. 4a



Prior Art
Fig. 5a




Fig. 5b